NSN 5985-00-064-6216

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-064-6216

Cross Sectional Shape:

Internal, rectangular external, rectangular

Thread Class:

2b second flange single connection facility

Thread Direction:

Right-hand second flange single connection facility

Bend Angle In Deg:

90.0 all bends h-plane

Flange Quantity:

2

Flange Inside Width:

2.002 inches second flange

Flange Inside Height:

1.002 inches second flange

Flange Outside Diameter:

3.625 inches second flange

Flange Depth:

0.938 inches first flange

Flange Connecting Hole Diameter:

0.201 inches first flange single connection facility

Voltage Standing Wave Ratio:

1.10

Waveguide Outside Width:

2.000 inches

Thread Size:

0.190 inches second flange single connection facility

Waveguide Inside Width:

1.875 inches

Waveguide Inside Height:

0.872 inches

Waveguide Outside Height:

1.000 inches

Flange Connecting Facility And Quantity:

8 unthreaded hole first flange single connection facility

Flange Style:

Cover type second flange

Waveguide Length:

8.563 inches

Waveguide Center To Center Distance:

10.375 inches

Flexibility:

Rigid second tubing segment

NSN 5985-00-064-6216 Waveguide Assembly - Page 2 of 2



Material:
Aluminum alloy all flange
Surface Treatment:
Chromate all flange inside surfaces
Style Designator:
Offset bend type
Thread Series Designator:
Unc second flange single connection facility
Fsc Application Data:
Radio and television communication equipment, except airborne
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig: A073a0