

View Online at <https://aerobasegroup.com/nsn/5985-00-072-9612>

**Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Tubing Wall Construction Style:**

Seamless single tubing segment

**Flange Quantity:**

2

**Flange Inside Width:**

2.002 inches all flanges and 2.005 inches all flanges

**Flange Inside Height:**

1.002 inches all flanges and 1.003 inches all flanges

**Flange Outside Diameter:**

3.625 inches all flanges

**Flange Depth:**

0.281 inches all flanges

**Flange Connecting Hole Diameter:**

0.203 inches all flanges single connection facility and 0.209 inches all flanges single connection facility

**Maximum Operating Pressure:**

12.0 pounds per square inch gage

**Waveguide Outside Width:**

Between 1.995 inches and 2.005 inches

**Waveguide Inside Width:**

Between 1.867 inches and 1.877 inches

**Waveguide Inside Height:**

Between 0.867 inches and 0.877 inches

**Waveguide Outside Height:**

Between 0.995 inches and 1.005 inches

**Flange Connecting Facility And Quantity:**

8 unthreaded hole all flanges single connection facility

**Flange Style:**

Cover type all flanges

**Waveguide Length:**

Between 2.227 feet and 2.230 feet

**Special Features:**

An aluminum angle bracket 8.406 in. From one end, bracket is 3.625 in. Lg by 1.625 in. W by 1.000 in. H, bracket has two 0.218 in. W by 0.750 in. Lg slots spaced 2.625 in. C to c

**Flexibility:**

Rigid single tubing segment

**Material:**

Aluminum alloy single tubing segment

**Surface Treatment:**

Enamel single tubing segment outside surfaces

**Style Designator:**

Straight type

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A073a0