# NSN 5985-00-091-1122

Waveguide Adapter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-091-1122

## Cross Sectional Shape:

Internal, rectangular external, rectangular

## **Tubing Wall Construction Style:**

Seamless single tubing segment

## Flange Quantity:

1

#### Flange Inside Width:

0.705 inches first flange and 0.707 inches first flange

#### Flange Inside Height:

0.394 inches first flange and 0.396 inches first flange

#### Flange Outside Width:

1.298 inches first flange and 1.328 inches first flange

#### Flange Outside Height:

1.298 inches first flange and 1.328 inches first flange

#### Flange Depth:

0.298 inches first flange and 0.328 inches first flange

## Flange Connecting Hole Diameter:

0.144 inches single flange all connection facilities and 0.147 inches single flange all connection facilities

## Voltage Standing Wave Ratio:

1.50

## Waveguide Outside Width:

Between 0.699 inches and 0.705 inches

## Waveguide Inside Width:

Between 0.620 inches and 0.625 inches

## Waveguide Inside Height:

Between 0.309 inches and 0.314 inches

## Waveguide Outside Height:

Between 0.388 inches and 0.394 inches

## Flange Connecting Facility And Quantity:

4 unthreaded hole single flange all connection facilities

#### Flange Style:

Cover type first flange

#### Material:

Copper alloy single flange

## Style Designator:

Waveguide to coaxial

## **Fsc Application Data:**

Antennas, waveguides, and related equipment

Shelf Life:

N/a

#### Unit Of Measure:

---

# NSN 5985-00-091-1122

Waveguide Adapter - Page 2 of 2

## Demilitarization:

Yes - demil/mli

Fiig:

A073a0

