# NSN 5985-00-102-4202

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-102-4202

#### **Cross Sectional Shape:**

Internal, rectangular external, rectangular

#### **Thread Class:**

2b first flange single connection facility

#### **Thread Direction:**

Right-hand first flange single connection facility

## **Tubing Wall Construction Style:**

Corrugated single tubing segment

#### Flange Quantity:

2

#### Flange Inside Width:

0.897 inches second flange and 0.903 inches second flange

#### Flange Inside Height:

0.397 inches second flange and 0.403 inches second flange

#### Flange Outside Width:

1.610 inches second flange and 1.640 inches second flange

#### Flange Outside Height:

1.610 inches first flange and 1.640 inches first flange

#### Flange Inside Diameter:

1.000 inches second flange and 1.006 inches second flange

# Flange Depth:

0.423 inches second flange and 0.453 inches second flange

#### Flange Connecting Hole Diameter:

0.169 inches second flange single connection facility and 0.172 inches second flange single connection facility

# **Voltage Standing Wave Ratio:**

1.06

#### **Maximum Operating Pressure:**

5.0 pounds per square inch gage

#### **Waveguide Outside Width:**

Between 0.997 inches and 1.003 inches

#### **Thread Size:**

0.138 inches first flange single connection facility

## Waveguide Inside Width:

Between 0.897 inches and 0.903 inches

#### Waveguide Inside Height:

Between 0.397 inches and 0.403 inches

# **Waveguide Outside Height:**

Between 0.497 inches and 0.503 inches

# **Waveguide Longer Offset Distance:**

Between 2.870 inches and 2.930 inches

#### Flange Connecting Facility And Quantity:

4 unthreaded hole first flange single connection facility

# **NSN 5985-00-102-4202** Waveguide Assembly - Page 2 of 2



Flange Style:
Choke type all flanges
Waveguide Offset Distance:
Between 0.610 inches and 0.670 inches
Flexibility:
Rigid single tubing segment
Material:
Stainless steel single tubing segment
Surface Treatment:
Nickel single tubing segment inside surfaces
Style Designator:
Bend type
Thread Series Designator:
Unc first flange single connection facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig: A073a0