NSN 5985-00-102-8129

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-102-8129 **Application Design:** Transmission line **Body Material: Brass Body Style:** Round, terminal/terminals in opposite surface **Body Surface Treatment:** Silver plated **Overall Length:** 2.600 inches **Overall Diameter:** 0.600 inches **Operating Tempurature Range:** -55.0/+150.0 degrees celsius **Voltage Standing Wave Ratio:** 1.25 Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Bnc **Power Rating:** 2.0 watts average and 2.0 kilowatts peak **Rf Signal Attenuation In Decibels:** 12.0 **Voltage Standing Wave Ratio Frequency Range:** +0.0/+4.5 gigahertz **Attenuation Accuracy Reference Frequency:** 4.5 gigahertz **Attenuation Accuracy In Decibels:** -0.70/+0.70 **Connection Type Per Function:** Female input and male output **Unpackaged Unit Weight:** 1.500 ounces **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector

Frequency Range:

Between 0.000 hertz and 4.500 gigahertz

NSN 5985-00-102-8129

Fixed Attenuator - Page 2 of 2



Precious Material And Location:
Body surfaces silver
Precious Material:
Silver
Fsc Application Data:
Anttennas, waveguides, and related equipment
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig: A20000