

View Online at <https://aerobasegroup.com/nsn/5985-00-110-5863>

**Unable To Decode:**

Internal, rectangular double ridged external, rectangular

**Thread Class:**

2b all flanges first connection facility

**Thread Direction:**

Right-hand all flanges first connection facility

**Flange Quantity:**

2

**Flange Inside Width:**

0.689 inches all flanges and 0.693 inches all flanges

**Flange Inside Height:**

0.319 inches all flanges and 0.323 inches all flanges

**Flange Outside Width:**

1.358 inches all flanges and 1.390 inches all flanges

**Flange Outside Height:**

1.358 inches all flanges and 1.390 inches all flanges

**Flange Depth:**

0.235 inches all flanges and 0.255 inches all flanges

**Flange Connecting Hole Diameter:**

0.096 inches all flanges second connection facility

**Voltage Standing Wave Ratio:**

1.30

**Waveguide Outside Width:**

0.791 inches

**Thread Size:**

0.138 inches all flanges first connection facility

**Waveguide Outside Height:**

0.421 inches

**Flange Connecting Facility And Quantity:**

4 threaded hole all flanges first connection facility

**Unable To Decode:**

Contact, double ridge type all flanges

**Special Features:**

Neither flange pressurized

**Flexibility:**

Rigid single tubing segment

**Material:**

Aluminum alloy single tubing segment

**Surface Treatment:**

Enamel all tubing segment and flange outside surfaces

**Style Designator:**

Three bend type

**Supplementary Features:**

Marked one end w/arrow and letters inbd

**Thread Series Designator:**

Unc all flanges first connection facility

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A073a0