

View Online at <https://aerobasegroup.com/nsn/5985-00-112-4170>

Body Style:

Rectangular

Overall Length:

1.489 inches

Overall Height:

1.400 inches

Frequency Rating:

13.27 megahertz and 13.43 megahertz single frequency operating

Switch Type:

Nontransfer

Longest Horizontal Distance Between Mounting Centers:

0.994 inches single mounting facility pattern

Longest Vertical Distance Between Mounting Centers:

0.956 inches single mounting facility pattern

Operating Temperature Range:

+10.0 to 85.0 degrees celsius

Voltage Standing Wave Ratio:

1.50 single

Insertion Loss In Decibels:

1.50 single

Maximum Operating Altitude Rating:

10000.0 feet

Rf Power Handling Capability:

0.1 watts average single

Minimum Crosstalk Rating In Decibels:

35.0 single

Actuator Operating Method:

Relay

Switching Time:

0.01 microseconds

Switch Return Mechanism Type:

Fail-safe

Waveguide Flange Type:

Cover

Pole Quantity:

1

Throw Quantity:

1

Mounting Facility Type And Quantity:

4 threaded hole

Thread Size:

0.138 inches flange connection facility hole

Mounting Facility Pattern:

Four position rectangular single mounting facility pattern

Flange Connecting Facility And Quantity:

4 threaded hole

Material:

Aluminum alloy body

Surface Treatment:

Lacquer body all surfaces and chromate zinc body all surfaces

Thread Series Designator:

Unc flange connection facility hole

Terminal Type And Quantity:

1 receptacle, coaxial and 1 rectangular flange

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A158a0