NSN 5985-00-121-4979

Fixed Attenuator - Page 1 of 2

Application Design:
Transmission line
Body Material:
Steel, stainless



View Online at https://aerobasegroup.com/nsn/5985-00-121-4979

Body Style:						
Round, terminal/terminals in opposite surface						
Body Surface Treatment:						
Any acceptable						
Overall Length:						
2.688 inches						
Overall Diameter:						
0.812 inches						
Voltage Standing Wave Ratio:						
1.25						
Input Impedance Rating In Ohms:						
50.0						
Output Impedance Rating In Ohms:						
50.0						
Coaxial Connector Series Designation:						
N						
Power Rating:						
2.0 watts average						
Rf Signal Attenuation In Decibels:						
20.0						
Voltage Standing Wave Ratio Frequency Range:						
+0.0/+12.4 gigahertz						
Attenuation Accuracy Reference Frequency:						
12.4 gigahertz						
Attenuation Accuracy In Decibels:						
-0.20/+0.20						
Connection Type Per Function:						
Female output and male input						
Mounting Method:						
Terminal						
Terminal Type And Quantity:						
2 connector						
Frequency Range:						
Between 0.000 hertz and 12.400 gigahertz						
Specification Data:						
99696-30279 manufacturers source control						
Shelf Life:						
N/a						

NSN 5985-00-121-4979

Fixed Attenuator - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

Yes - demil/mli

Fiig:

A20000