## NSN 5985-00-133-1088

Fixed Attenuator - Page 1 of 2

Application Design:
Transmission line
Body Material:



View Online at https://aerobasegroup.com/nsn/5985-00-133-1088

| Metal   |
|---|
| Body Style:                                   |
| Round, terminal/terminals in opposite surface |
| Body Surface Treatment:                       |
| Silver plated                                 |
| Overall Length:                               |
| Between 2.580 inches and 2.820 inches         |
| Overall Diameter:                             |
| 0.875 inches                                  |
| Operating Tempurature Range:                  |
| -55.0/+125.0 degrees celsius                  |
| Voltage Standing Wave Ratio:                  |
| 1.25  |
| Input Impedance Rating In Ohms:               |
| 50.0  |
| Output Impedance Rating In Ohms:              |
| 50.0  |
| Coaxial Connector Series Designation:         |
| N   |
| Power Rating:                                 |
| 4.0 watts average and 2.0 kilowatts peak      |
| Rf Signal Attenuation In Decibels:            |
| 20.0  |
| Voltage Standing Wave Ratio Frequency Range:  |
| +1.35/+1.45 gigahertz                         |
| Attenuation Accuracy In Decibels:             |
| -0.70 to 0.70                                 |
| Mounting Method:                              |
| Connector                                     |
| Terminal Type And Quantity:                   |
| 2 connector                                   |
| Frequency Range:                              |
| Between 1.350 gigahertz and 1.450 gigahertz   |
| Precious Material And Location:               |
| surfaces silver                               |
| Precious Material:                            |
| Silver  |
| Fsc Application Data:                         |
| Antennas, waveguides, and related equipment   |
|   |

## NSN 5985-00-133-1088

Fixed Attenuator - Page 2 of 2



| he |  |  |
|----|--|--|
|    |  |  |
|    |  |  |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A20000