# NSN 5985-00-134-1557

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-134-1557

## Cross Sectional Shape:

Internal, rectangular external, rectangular

## **Thread Class:**

2b all flanges all connection facilities

## **Thread Direction:**

Right-hand all flanges all connection facilities

## **Tubing Wall Construction Style:**

Seamless single tubing segment

## Flange Quantity:

2

### Flange Inside Width:

0.896 inches all flanges and 0.904 inches all flanges

### Flange Inside Height:

0.396 inches all flanges and 0.404 inches all flanges

### Flange Outside Width:

1.610 inches all flanges and 1.640 inches all flanges

## Flange Outside Height:

1.610 inches all flanges and 1.640 inches all flanges

## Flange Inside Diameter:

1.406 inches all flanges and 1.437 inches all flanges

## Flange Depth:

0.423 inches all flanges and 0.453 inches all flanges

## Voltage Standing Wave Ratio:

1.15

Insertion Loss In Decibels:

0.20

## Thready Qty Per Inch (tpi):

32 all flanges all connection facilities

## Maximum Operating Pressure:

30.0 pounds per square inch gage

## Waveguide Outside Width:

Between 0.996 inches and 1.004 inches

#### **Thread Size:**

0.164 inches all flanges all connection facilities

#### Waveguide Inside Width:

Between 0.896 inches and 0.904 inches

## Waveguide Inside Height:

Between 0.396 inches and 0.404 inches

## Waveguide Outside Height:

Between 0.496 inches and 0.504 inches

## Flange Connecting Facility And Quantity:

4 threaded hole all flanges all connection facilities

# NSN 5985-00-134-1557

Waveguide Assembly - Page 2 of 2



Waveguide First Leg Length: 2.820 inches Waveguide Fifth Leg Length: 19.000 inches Flange Style: Choke type all flanges Waveguide Second Leg Length: 9.250 inches Waveguide Third Leg Length: 5.320 inches Waveguide Fourth Leg Length: 6.500 inches Flexibility: Flexible single tubing segment Material: Copper alloy single tubing segment **Precious Material And Location:** Internal surfaces silver **Precious Material:** Silver **Surface Treatment:** Primer all tubing segment and flange outside surfaces Style Designator: Four bend type **Thread Series Designator:** Unc all flanges all connection facilities **Fsc Application Data:** Antennas, waveguides, and related equipment Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** Yes - demil/mli Fiig: A073a0