

View Online at <https://aerobasegroup.com/nsn/5985-00-135-2826>

Body Style:

Rectangular

Overall Length:

1.969 inches

Overall Height:

Between 3.234 inches and 3.266 inches

Overall Width:

1.437 inches

Frequency Rating:

100.0 megahertz and 400.0 megahertz single frequency rf power handling

Unthreaded Mounting Hole Diameter:

Between 0.151 inches and 0.161 inches

Switch Type:

Nontransfer

Distance Between Mounting Facility Centers:

0.995 inches 1st mounting facility pattern and 1.005 inches 1st mounting facility pattern

Operating Temperature Range:

+0.0/+50.0 degrees celsius

Voltage Standing Wave Ratio:

1.17 single

Insertion Loss In Decibels:

0.10 single

Coaxial Connector Series Designation:

Bnc

Connector End Design:

Female

Rf Power Handling Capability:

50.0 watts average single

Minimum Crosstalk Rating In Decibels:

60.0 single

Actuator Operating Method:

Relay

Actuator Current Type And Rating In Amps:

0.6 dc

Actuator Voltage In Volts:

30.0

Switch Operation Sequence:

Breaks before makes

Switching Time:

15.0 milliseconds

Switch Return Mechanism Type:

Fail-safe

Pole Quantity:

1

Throw Quantity:

2

Rf Maximum Voltage Rating:

300.0 volts rms

Coupling Position Quantity:

3

Mounting Facility Type And Quantity:

2 unthreaded hole

Mounting Facility Pattern:

Two position in-line single mounting facility pattern

Material:

Copper body

Precious Material And Location:

External surfaces silver

Precious Material:

Silver

Surface Treatment:

Silver body outside surfaces

Surface Treatment Specification:

Qq-s-365 federal specification single treatment response body outside surfaces

Terminal Type And Quantity:

2 tab, solder lug and 3 receptacle, coaxial

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A158a0