## NSN 5985-00-137-4237

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-137-4237 **Application Design:** Transmission line **Body Material:** Metal **Body Style:** Round, terminal/terminals in opposite surface **Body Surface Treatment:** Bright alloy **Overall Length:** 2.000 inches **Overall Diameter:** 0.500 inches **Operating Tempurature Range:** -55.0 to 125.0 degrees celsius **Voltage Standing Wave Ratio:** 1.20 and 1.50 Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Bnc **Power Rating:** 1.0 watts average **Rf Signal Attenuation In Decibels:** 20.0 **Voltage Standing Wave Ratio Frequency Range:** +0.0 to 1.0 gigahertz and +1.0 to 2.0 gigahertz **Attenuation Accuracy In Decibels:** -1.00 to 1.00 **Frequency Sensitivity Attenuation In Decibels: Temperature Sensitivity Attenuation In Decibels:** Not rated **Connection Type Per Function:** Female input-output **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector

Frequency Range:

Between 0.000 hertz and 2.000 gigahertz

## NSN 5985-00-137-4237

Fixed Attenuator - Page 2 of 2



_				
c	hο	JIF.		ife:
J			_	HG.

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A20000