## NSN 5985-00-137-4327

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-137-4327

Application Design:
Transmission line
Body Material:
Aluminum
Body Style:
Coaxial type
Overall Length:
5.420 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
4.578 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.250 inches
Overall Height:
4.225 inches
Overall Width:
0.618 inches
Unthreaded Mounting Hole Diameter:
0.147 inches
Operating Tempurature Range:
+0.0/+60.0 degrees celsius
Voltage Standing Wave Ratio:
1.30 and 1.60
Coaxial Connector Series Designation:
Bnc
Power Rating:
2.0 watts average
Overall Attenuation Range In Decibels:
+1.0/+45.0
Attenuation Variation Method:
Continuous
Mounting Facility Type And Quantity:
4 unthreaded hole
Frequency Range:
Between 800.000 megahertz and 4.000 gigahertz
Adjustment Device Type And Quantity:
1 knob w/dial
Mounting Facility Pattern:
Four position rectangular
Impedance Rating In Ohms:
50.0 input-output
Terminal Type And Quantity:

3 connector, coaxial, female

## NSN 5985-00-137-4327

Variable Attenuator - Page 2 of 2



				-
C I	20	lŧ.	l i	fe:
J.	16		_,	ıc.

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A223a0