NSN 5985-00-139-2349

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-139-2349

Cross Sectional Shape:

Internal, rectangular external, rectangular

Thread Class:

2b all flanges single connection facility

Thread Direction:

Right-hand all flanges single connection facility

Tubing Wall Construction Style:

Corrugated single tubing segment

Tubing Twist Type:

Twistable single tubing segment

Flange Quantity:

2

Flange Inside Width:

0.705 inches all flanges

Flange Inside Height:

0.394 inches single flange

Flange Outside Width:

1.313 inches all flanges

Flange Outside Height:

1.313 inches all flanges

Flange Depth:

0.313 inches all flanges

Voltage Standing Wave Ratio:

1.10

Waveguide Outside Width:

1.000 inches

Thread Size:

0.136 inches all flanges single connection facility

Waveguide Inside Width:

0.900 inches

Waveguide Inside Height:

0.400 inches

Waveguide Outside Height:

0.500 inches

Flange Connecting Facility And Quantity:

4 threaded hole all flanges single connection facility

Flange Style:

Cover type all flanges

Waveguide Length:

1.438 feet

Flexibility:

Flexible single tubing segment

NSN 5985-00-139-2349 Waveguide Assembly - Page 2 of 2



Material:
Copper alloy all flange
Precious Material And Location:
Waveguide and flange surfaces silver
Precious Material:
Silver
Surface Treatment:
Silver all tubing segment and flange outside surfaces
Style Designator:
Straight type
Thread Series Designator:
Unc all flanges single connection facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiia:

A073a0