## NSN 5985-00-145-3536

Variable Attenuator - Page 1 of 2

**Application Design:** 



View Online at https://aerobasegroup.com/nsn/5985-00-145-3536

Transmission line
Body Style:
Coaxial type
Overall Length:
6.000 inches
Overall Height:
2.600 inches
Overall Width:
2.750 inches
Scale Linearity:
Linear
End Application:
Yellowstone class ad-41
Voltage Standing Wave Ratio:
1.20 and 1.30 and 1.50
Coaxial Connector Series Designation:
Bnc
Power Rating:
0.5 watts average and 350.0 watts peak
Overall Attenuation Range In Decibels:
+0.0/+120.0
Attenuation Variation Method:
Stepped
Step Position Quantity:
12
Attenuation Per Step In Decibels:
10.0
Mounting Facility Type And Quantity:
2 connector
Frequency Range:
Between 0.000 hertz and 1.000 gigahertz
Overall Attenuation Accuracy In Decibels:
-0.30/+0.30
Adjustment Device Type And Quantity:
1 shaft and 1 knob
Criticality Code Justification:
Feat
Impedance Rating In Ohms:
50.0 input-output
Special Features:
Weapon system essential

## NSN 5985-00-145-3536

Variable Attenuator - Page 2 of 2



Terminal	<b>Type</b>	And	Quantity	y:
----------	-------------	-----	----------	----

2 connector, coaxial, female

**Fsc Application Data:** 

Antennas, waveguides, and related equipment

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A223a0