

View Online at <https://aerobasegroup.com/nsn/5985-00-150-0415>

**Application Design:**

Transmission line

**Body Material:**

Aluminum

**Body Style:**

Rectangular, terminal/terminals on opposite surfaces

**Terminal Material:**

Steel, stainless

**Terminal Surface Treatment:**

Passivated

**Body Surface Treatment:**

Anodized

**Overall Length:**

5.375 inches

**Overall Height:**

Between 2.470 inches and 2.530 inches

**Overall Width:**

Between 2.470 inches and 2.530 inches

**Operating Temperature Range:**

-20.0/+70.0 degrees celsius

**End Application:**

Test set, radio an/arm-156

**Voltage Standing Wave Ratio:**

1.10

**Input Impedance Rating In Ohms:**

50.0

**Output Impedance Rating In Ohms:**

50.0

**Coaxial Connector Series Designation:**

N

**Power Rating:**

20.0 watts average and 10.0 kilowatts peak

**Rf Signal Attenuation In Decibels:**

10.0

**Voltage Standing Wave Ratio Frequency Range:**

+960.0/+1215.0 megahertz

**Attenuation Accuracy In Decibels:**

-0.15/+0.15

**Temperature Sensitivity Attenuation In Decibels:**

0.0001

**Connection Type Per Function:**

Male input and female output

**Unpackaged Unit Weight:**

995.0 grams

**Mounting Method:**

Connector

**Terminal Type And Quantity:**

2 connector

**Frequency Range:**

Between 0.000 hertz and 1.500 gigahertz

**Specification Data:**

57057-880330001 manufacturers specification control

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A20000