

View Online at <https://aerobasegroup.com/nsn/5985-00-156-0732>

Thread Class:

2b mounting facility hole

Body Style:

Rectangular

Overall Length:

4.000 inches

Overall Height:

1.975 inches

Overall Width:

2.813 inches

Frequency Rating:

12.4 gigahertz and 18.0 gigahertz single frequency voltage standing wave ratio

Switch Type:

Transfer

Longest Horizontal Distance Between Mounting Centers:

1.437 inches single mounting facility pattern

Longest Vertical Distance Between Mounting Centers:

1.437 inches single mounting facility pattern

Operating Temperature Range:

+0.0 to 55.0 degrees celsius

Voltage Standing Wave Ratio:

1.10 single

Insertion Loss In Decibels:

0.20 single

Rf Power Handling Capability:

100.0 kilowatts peak single

Minimum Crosstalk Rating In Decibels:

60.0 single

Actuator Operating Method:

Relay

Actuator Current Type And Rating In Amps:

Between 0.8 dc and 1.0 dc

Actuator Voltage In Volts:

28.0

Waveguide Flange Type:

Choke

Coupling Position Quantity:

3

Mounting Facility Type And Quantity:

4 threaded hole

Thread Size:

0.164 inches mounting facility hole

Mounting Facility Pattern:

Four position rectangular single mounting facility pattern

Flange Connecting Facility And Quantity:

4 threaded hole

Material:

Aluminum body

Surface Treatment:

Enamel body outside surfaces

Thread Series Designator:

Unc mounting facility hole

Terminal Type And Quantity:

6 wire hook and 3 rectangular flange

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A158a0