

View Online at <https://aerobasegroup.com/nsn/5985-00-157-6025>

Overall Length:

2.890 inches

Overall Height:

1.850 inches

Frequency Rating:

50.0 megahertz and 70.0 megahertz single frequency operating50.0 megahertz and 70.0 megahertz single frequency rf power handling50.0 megahertz and 70.0 megahertz single frequency voltage standing wave ratio50.0 megahertz and 70.0 megahertz single frequency insertion loss reference50.0 megahertz and 70.0 megahertz single frequency crosstalk reference

Switch Type:

Nontransfer

Operating Temperature Range:

-55.0 to 85.0 degrees celsius

Voltage Standing Wave Ratio:

1.20 single

Insertion Loss In Decibels:

1.00 single

Coaxial Connector Series Designation:

Uhf

Connector End Design:

Female

Rf Power Handling Capability:

1.0 watts peak single

Minimum Crosstalk Rating In Decibels:

60.0 single

Actuator Operating Method:

Relay

Switch Operation Sequence:

Breaks before makes

Switching Time:

0.05 microseconds

Switch Return Mechanism Type:

Fail-safe

Pole Quantity:

1

Throw Quantity:

2

Rf Maximum Voltage Rating:

15.0 volts peak

Coupling Position Quantity:

3

Mounting Facility Type And Quantity:

2 unthreaded hole

Material:

Copper alloy body

Surface Treatment:

Enamel body outside surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A158a0