NSN 5985-00-164-3273

Radio Frequency Transmission Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-164-3273 **Outside Diameter:** 0.141 inches **Conductor Size:** 19 awg **Characteristic Impedance In Ohms:** 50.0 **Termination Identification:** 10279284 **Conductor Quantity: Conductor Material:** Copper, qq-w-343, type s Capacitance In Picofarads Per Unit Length: 29.3 per foot **Outer Conductor:** Included **Insulation Spacer Shape:** Tubular **Insulation Spacer Material:** Plastic, mil-p-19468 **Termination Controlling Agency:** U.S. Army missile command **Terminal Fitting:** Included **Accommodated Conductor Type:** Coaxial **Conductor Surface Treatment:** Silver, qq-s-365 **Tubing Outside Diameter:** 0.141 inches **Special Features:** Fungus proof connector soldier joints per mil-t-152; frequency range 1.0 to 1.5 ghz Material: Copper, ww-t-799 Material: Copper alloy 102 or copper alloy 120 or copper alloy 122 **Precious Material And Location:**

Conductor external surfaces silver

Precious Material:

Silver

Surface Treatment:

Tin plated, mil-t-10727, type 1

NSN 5985-00-164-3273

Radio Frequency Transmission Line - Page 2 of 2



Fsc Application Data	Fsc Appl	ication	Data
----------------------	----------	---------	------

Antennas, waveguides, andrelated equipment

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

T224-e