NSN 5985-00-166-0779



Fixed Attenuator - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5985-00-166-0779 **Application Design:** Transmission line **Body Material: Brass Body Style:** Round, terminal/terminals in opposite surface **Body Surface Treatment:** Enamel, baked **Overall Length:** 2.500 inches **Overall Diameter:** 0.500 inches **Operating Tempurature Range:** +0.0/+85.0 degrees celsius

Voltage Standing Wave Ratio:

1.20 and 1.25

Input Impedance Rating In Ohms:

Output Impedance Rating In Ohms:

50.0

50.0

Coaxial Connector Series Designation:

Sm **Power Rating:**

500.0 watts peak

Rf Signal Attenuation In Decibels:

6.0

Voltage Standing Wave Ratio Frequency Range:

+0.0/+3.0 gigahertz and +3.0/+6.0 gigahertz

Temperature Sensitivity Attenuation In Decibels:

0.0010

Connection Type Per Function:

Female input and female output and male input and male output

Mounting Method:

Connector

Terminal Type And Quantity:

2 connector

Frequency Range:

Between 0.000 hertz and 6.000 gigahertz

Shelf Life:

N/a

Unit Of Measure:

NSN 5985-00-166-0779

Fixed Attenuator - Page 2 of 2



Demilitarization:

No

Fiig:

A20000