

View Online at <https://aerobasegroup.com/nsn/5985-00-172-4614>

Application Design:

Transmission line

Body Style:

Coaxial type

Overall Length:

4.500 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.500 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.500 inches

Overall Width:

4.500 inches

Coaxial Connector Series Designation:

N

Power Rating:

5.0 watts average and 500.0 watts peak

Mounting Facility Screw Thread Series Designator:

Unc

Insertion Loss At Minimum Attenuation In Maximum Decibels:

6.0

Overall Attenuation Range In Decibels:

+0.0/+60.0

Attenuation Accuracy Reference Frequency:

2.0 gigahertz

Attenuation Variation Method:

Continuous

Mounting Facility Type And Quantity:

4 threaded hole

Frequency Range:

Between 0.000 hertz and 4.000 gigahertz

Overall Attenuation Accuracy In Decibels:

-1.00/+1.00

Mounting Thread Quantity:

32 per inch

Adjustment Device Type And Quantity:

1 lever

Mounting Facility Pattern:

Four position rectangular

Mounting Facility Screw Thread Diameter:

0.164 inches

Impedance Rating In Ohms:

50.0 input-output

Terminal Type And Quantity:

2 connector, coaxial, female

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A223a0