

View Online at <https://aerobasegroup.com/nsn/5985-00-175-7068>

Application Design:

Transmission line

Body Style:

Coaxial type

Overall Length:

5.000 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

Between 4.595 inches and 4.605 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

Between 2.395 inches and 2.405 inches

Overall Height:

1.000 inches

Overall Width:

3.000 inches

End Application:

Radar set an/sps-40b

Voltage Standing Wave Ratio:

1.50

Coaxial Connector Series Designation:

Bsm and n

Power Rating:

200.0 milliwatts peak

Mounting Facility Screw Thread Series Designator:

Unc

Overall Attenuation Range In Decibels:

+0.4 to 66.0

Attenuation Variation Method:

Stepped

Step Position Quantity:

5

Attenuation Per Step In Decibels:

14.6 and 15.0 and 15.0 and 21.0

Mounting Facility Type And Quantity:

4 threaded hole

Frequency Range:

Between 400.000 megahertz and 450.000 megahertz

Mounting Thread Quantity:

32 per inch

Adjustment Device Type And Quantity:

1 electronic, voltage controlled

Mounting Facility Pattern:

Four position rectangular

Mounting Facility Screw Thread Diameter:

0.164 inches

Impedance Rating In Ohms:

50.0 input-output

Terminal Type And Quantity:

3 connector, coaxial, female

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A223a0