# NSN 5985-00-180-4611

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-180-4611

## Unable To Decode:

Internal, rectangular double ridged external, rectangular

## **Thread Class:**

2b second flange first connection facility

## **Thread Direction:**

Right-hand second flange first connection facility

## Unable To Decode:

Seamless single tubing segment

## Flange Quantity:

2

## Flange Inside Width:

0.689 inches first flange and 0.693 inches first flange

## Flange Inside Height:

0.319 inches first flange and 0.323 inches first flange

## Flange Outside Width:

1.358 inches first flange and 1.390 inches first flange

## Flange Outside Height:

1.358 inches first flange and 1.390 inches first flange

## Flange Depth:

0.235 inches first flange and 0.255 inches first flange

# Flange Connecting Hole Diameter:

0.096 inches first flange second connection facility

# Voltage Standing Wave Ratio:

1.45

## Thread Size:

0.138 inches second flange first connection facility

# Flange Connecting Facility And Quantity:

4 threaded hole first flange first connection facility

# Unable To Decode:

Contact, double ridge type first flange

## Flexibility:

Rigid single tubing segment

## Material:

Aluminum alloy all flange

# Surface Treatment:

Enamel single tubing segment and flange outside surfaces

## Style Designator:

Five bend type

## **Thread Series Designator:**

Unc second flange first connection facility

## Shelf Life:

N/a

# NSN 5985-00-180-4611

Waveguide Assembly - Page 2 of 2

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A073a0

