NSN 5985-00-186-2926

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-186-2926

Cross Sectional Shape:

Internal, rectangular external, rectangular

Tubing Wall Construction Style:

Seamless single tubing segment

Flange Inside Width:

0.896 inches all flanges and 0.904 inches all flanges

Flange Inside Height:

0.396 inches all flanges and 0.404 inches all flanges

Flange Outside Width:

1.610 inches all flanges and 1.640 inches all flanges

Flange Outside Height:

1.610 inches all flanges and 1.640 inches all flanges

Flange Inside Diameter:

0.610 inches all flanges

Voltage Standing Wave Ratio:

1.10

Insertion Loss In Decibels:

3.00

Waveguide Outside Width:

Between 0.996 inches and 1.004 inches

Waveguide Inside Width:

Between 0.896 inches and 0.904 inches

Waveguide Inside Height:

Between 0.396 inches and 0.404 inches

Waveguide Outside Height:

Between 0.496 inches and 0.504 inches

Flange Connecting Facility And Quantity:

4 threaded hole all flanges all connection facilities

Flange Style:

Choke type all flanges

Flexibility:

Rigid single tubing segment

Material:

Aluminum alloy 6061 single tubing segment

Surface Treatment:

Chromate zinc single tubing segment all surfaces and paint single tubing segment all surfaces

Supplementary Features:

Environmental rqmt iaw mil-w-287

Fsc Application Data:

Antennas, waveguides, and related equip.

Shelf Life:

N/a

NSN 5985-00-186-2926

Waveguide Assembly - Page 2 of 2



	Of			

--

Demilitarization:

Yes - demil/mli

Fiig:

A073a0