

View Online at <https://aerobasegroup.com/nsn/5985-00-189-0599>

**Application Design:**

Transmission line

**Body Style:**

Coaxial type

**Overall Length:**

1.500 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

0.700 inches

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.310 inches

**Overall Height:**

1.560 inches

**Overall Width:**

1.100 inches

**Unthreaded Mounting Hole Diameter:**

0.144 inches

**Operating Temperature Range:**

+0.0/+65.0 degrees celsius

**Voltage Standing Wave Ratio:**

1.50

**Coaxial Connector Series Designation:**

Sm

**Power Rating:**

500.0 milliwatts average

**Insertion Loss At Minimum Attenuation In Maximum Decibels:**

2.00

**Overall Attenuation Range In Decibels:**

+2.0/+22.0

**Attenuation Accuracy Reference Frequency:**

60.0 megahertz

**Attenuation Variation Method:**

Continuous

**Mounting Facility Type And Quantity:**

2 unthreaded hole

**Frequency Range:**

Between 0.000 megahertz and 60.000 megahertz

**Adjustment Device Type And Quantity:**

1 slotted screw

**Mounting Facility Pattern:**

Two position diagonal

**Impedance Rating In Ohms:**

95.0 input-output

**Terminal Type And Quantity:**

2 connector, coaxial, female

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A223a0