

View Online at <https://aerobasegroup.com/nsn/5985-00-189-0599>

Application Design:

Transmission line

Body Style:

Coaxial type

Overall Length:

1.500 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.700 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.310 inches

Overall Height:

1.560 inches

Overall Width:

1.100 inches

Unthreaded Mounting Hole Diameter:

0.144 inches

Operating Temperature Range:

+0.0/+65.0 degrees celsius

Voltage Standing Wave Ratio:

1.50

Coaxial Connector Series Designation:

Sm

Power Rating:

500.0 milliwatts average

Insertion Loss At Minimum Attenuation In Maximum Decibels:

2.00

Overall Attenuation Range In Decibels:

+2.0/+22.0

Attenuation Accuracy Reference Frequency:

60.0 megahertz

Attenuation Variation Method:

Continuous

Mounting Facility Type And Quantity:

2 unthreaded hole

Frequency Range:

Between 0.000 megahertz and 60.000 megahertz

Adjustment Device Type And Quantity:

1 slotted screw

Mounting Facility Pattern:

Two position diagonal

Impedance Rating In Ohms:

95.0 input-output

Terminal Type And Quantity:

2 connector, coaxial, female

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A223a0