# NSN 5985-00-189-3299

Waveguide Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-189-3299

View Online at https://aerobasegroup.com/nsn/5985-00-189-3299
Body Style:
Rectangular
Overall Length:
4.000 inches
Overall Height:
1.870 inches
Overall Width:
2.938 inches
Frequency Rating:
9.0 gigahertz and 9.6 gigahertz single frequency insertion loss reference
Switch Type:
Transfer
Longest Horizontal Distance Between Mounting Centers:
1.281 inches single mounting facility pattern
Longest Vertical Distance Between Mounting Centers:
0.812 inches single mounting facility pattern
Operating Tempurature Range:
-55.0 to 100.0 degrees celsius
Voltage Standing Wave Ratio:
1.08 single
Insertion Loss In Decibels:
0.10 single
Rf Power Handling Capability:
125.0 kilowatts peak single
Minimum Crosstalk Rating In Decibels:
50.0 single
Actuator Operating Method:
Relay
Actuator Voltage In Volts:
28.0
Switching Time:
100.0 milliseconds
Waveguide Flange Type:
Choke
Coupling Position Quantity:
4
Mounting Facility Type And Quantity:
4 threaded hole
Thread Size:
0.164 inches mounting facility hole
Mounting Facility Pattern:
Four position rectangular single mounting facility pattern

## NSN 5985-00-189-3299

Waveguide Switch - Page 2 of 2



### Flange Connecting Facility And Quantity:

4 threaded hole

Material:

Metal body

Surface Treatment:

Enamel body outside surfaces

#### Thread Series Designator:

Unc mounting facility hole

### Terminal Type And Quantity:

1 receptacle, coaxial and 4 rectangular flange

Shelf Life:

N/a

### Unit Of Measure:

---

#### Demilitarization:

Yes - demil/mli

#### Fiig:

A158a0