# NSN 5985-00-191-9346

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-191-9346

#### **Cross Sectional Shape:**

Internal, rectangular external, rectangular

#### **End Application:**

Radar set an/tpn-8; radar set an/tpn-(); radar set an/trn-8a

#### **Tubing Wall Construction Style:**

Corrugated single tubing segment

#### Flange Quantity:

2

#### Flange Inside Width:

1.253 inches all flanges and 1.256 inches all flanges

#### Flange Inside Height:

0.628 inches all flanges and 0.631 inches all flanges

#### Flange Outside Width:

1.860 inches all flanges and 1.890 inches all flanges

#### Flange Outside Height:

1.860 inches all flanges and 1.890 inches all flanges

#### Flange Depth:

0.423 inches all flanges and 0.453 inches all flanges

## Flange Connecting Hole Diameter:

0.169 inches all flanges all connection facilities and 0.172 inches all flanges all connection facilities

# **Voltage Standing Wave Ratio:**

1.07

#### **Insertion Loss In Decibels:**

0.07

#### **Waveguide Outside Width:**

1.250 inches

# **Waveguide Inside Width:**

1.122 inches

#### **Waveguide Inside Height:**

0.497 inches

#### **Waveguide Outside Height:**

0.625 inches

#### Flange Connecting Facility And Quantity:

4 unthreaded hole all flanges all connection facilities

#### Flange Style:

Cover type all flanges

### Waveguide Length:

6.000 inches

# Flexibility:

Flexible single tubing segment

#### Material:

Copper alloy all tubing segment and flange

# NSN 5985-00-191-9346

Waveguide Assembly - Page 2 of 2



	Trea	

Rubber single tubing segment outside surfaces

Style Designator:

Straight type

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A073a0