# NSN 5985-00-203-5875

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-203-5875

# **Cross Sectional Shape:** Internal, rectangular external, rectangular **Thread Class:** 2b all flanges single connection facility Thread Direction: Right-hand all flanges single connection facility Bend Angle In Deg: 45.0 single bend e-plane **Tubing Wall Construction Style:** Seamless single tubing segment Flange Quantity: 2 Flange Inside Width: 3.002 inches all flanges Flange Inside Height: 1.502 inches single flange Flange Outside Width: 3.844 inches all flanges Flange Outside Height: 2.344 inches all flanges Flange Depth: 0.750 inches all flanges Voltage Standing Wave Ratio: 1.06 Maximum Operating Pressure: 5.0 pounds per square inch gage Waveguide Outside Width: 3.000 inches **Thread Size:** 0.164 inches all flanges single connection facility Waveguide Inside Width: 2.840 inches Waveguide Inside Height: 1.340 inches Waveguide Outside Height: 1.500 inches Waveguide Longer Offset Distance: 10.590 inches Flange Connecting Facility And Quantity: 10 threaded hole all flanges single connection facility Flange Style: Contact type all flanges

# NSN 5985-00-203-5875

Waveguide Assembly - Page 2 of 2



#### Flexibility:

Rigid single tubing segment

#### Material:

Copper alloy single tubing segment

### Surface Treatment:

Paint all tubing segment and flange outside surfaces

### Style Designator:

Bend type

### **Thread Series Designator:**

Unc all flanges single connection facility

Shelf Life:

N/a

## Unit Of Measure:

---

#### Demilitarization:

Yes - demil/mli

#### Fiig:

A073a0