

View Online at <https://aerobasegroup.com/nsn/5985-00-224-5229>

Overall Length:

5.087 inches

Frequency Rating:

0.0 gigahertz single frequency voltage standing wave ratio and 12.0 gigahertz single frequency voltage standing wave ratio

Switch Type:

Transfer

Operating Temperature Range:

-60.0/+100.0 degrees celsius

Voltage Standing Wave Ratio:

1.50 single

Insertion Loss In Decibels:

0.50 single

Coaxial Connector Series Designation:

N

Connector End Design:

Female and male

Rf Power Handling Capability:

400.0 watts average single

Minimum Crosstalk Rating In Decibels:

50.0 single

Actuator Operating Method:

Relay

Actuator Current Type And Rating In Amps:

0.4 ac

Actuator Voltage In Volts:

105.0 and 125.0

Switch Operation Sequence:

Breaks before makes

Switching Time:

60.0 milliseconds

Pole Quantity:

1

Throw Quantity:

2

Coupling Position Quantity:

4

Material:

Steel body

Precious Material And Location:

Terminals silver

Precious Material:

Silver

Test Data Document:

07180-sah-2180hl drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

1 plug, coaxial and 3 receptacle, coaxial

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A158a0