

View Online at <https://aerobasegroup.com/nsn/5985-00-241-8599>

**Application Design:**

Transmission line

**Body Material:**

Chromium-nickel-alloy steel

**Body Style:**

Round, terminal/terminals in opposite surface

**Overall Length:**

3.313 inches

**Overall Diameter:**

1.500 inches

**Voltage Standing Wave Ratio:**

1.10 and 1.15 and 1.20 and 1.30

**Input Impedance Rating In Ohms:**

50.0

**Output Impedance Rating In Ohms:**

50.0

**Coaxial Connector Series Designation:**

N

**Power Rating:**

20.0 watts average

**Rf Signal Attenuation In Decibels:**

10.0

**Voltage Standing Wave Ratio Frequency Range:**

+0.0/+1.0 gigahertz and +1.0/+4.0 gigahertz and +4.0/+6.0 gigahertz and +6.0/+11.0 gigahertz

**Attenuation Accuracy Reference Frequency:**

11.0 gigahertz

**Attenuation Accuracy In Decibels:**

-0.75/+0.75

**Connection Type Per Function:**

Female input and male output

**Unpackaged Unit Weight:**

5.600 ounces

**Mounting Method:**

Connector

**Terminal Type And Quantity:**

2 connector

**Frequency Range:**

Between 0.000 hertz and 11.000 gigahertz

**Fsc Application Data:**

Antennas, waveguides, and related equipment

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A20000