NSN 5985-00-242-6896

Variable Attenuator - Page 1 of 2

Application Design:



View Online at https://aerobasegroup.com/nsn/5985-00-242-6896

Audio
Body Style:
Cylindrical w/side terminals
Overall Length:
2.312 inches
Overall Width:
2.078 inches
Body Diameter:
1.656 inches
Shaft Diameter:
0.250 inches
Bushing Length:
0.375 inches
Shaft Length:
0.750 inches
Body Length:
1.562 inches
Schematic Diagram Designator:
Unbalanced "II"
Operating Tempurature Range:
-55.0/+105.0 degrees celsius
Power Rating:
2.0 watts average
Mounting Facility Screw Thread Series Designator:
Unef
Overall Attenuation Range In Decibels:
+33.0/+66.0
Attenuation Variation Method:
Continuous
Mounting Facility Type And Quantity:
1 threaded bushing
Frequency Range:
Between 0.000 kilohertz and 20.000 kilohertz
Overall Attenuation Accuracy In Decibels:
-5.00/+5.00
Mounting Thread Quantity:
32 per inch
Adjustment Device Type And Quantity:
1 shaft
Shaft Type:
Round

NSN 5985-00-242-6896

Variable Attenuator - Page 2 of 2



Mounting Facility Screw Thread Diameter: 0.375 inches Impedance Rating In Ohms: 8.0 input-output Terminal Type And Quantity: 4 tab, solder lug Shelf Life: N/a Unit Of Measure: -Demilitarization: No

Fiig: A223a0