# NSN 5985-00-242-9783

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-242-9783

# **Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:** 

2b second flange all connection facilities

**Thread Direction:** 

Right-hand second flange all connection facilities

Bend Angle In Deg:

90.0 all bends e-plane

**Tubing Wall Construction Style:** 

Seamless single tubing segment

Flange Quantity:

2

#### Flange Inside Width:

0.705 inches second flange and 0.707 inches second flange

#### Flange Inside Height:

0.394 inches second flange and 0.396 inches second flange

#### Flange Outside Width:

1.298 inches second flange and 1.328 inches second flange

# Flange Outside Height:

1.298 inches second flange and 1.328 inches second flange

# Flange Inside Diameter:

0.985 inches first flange and 1.015 inches first flange

#### Flange Depth:

0.360 inches first flange and 0.390 inches first flange

# Flange Connecting Hole Diameter:

0.144 inches first flange all connection facilities and 0.147 inches first flange all connection facilities

# **Voltage Standing Wave Ratio:**

1.20

#### **Insertion Loss In Decibels:**

0.15

# Thready Qty Per Inch (tpi):

32 second flange all connection facilities

# **Waveguide Outside Width:**

Between 0.699 inches and 0.705 inches

#### **Thread Size:**

0.138 inches second flange all connection facilities

#### Waveguide Inside Width:

Between 0.619 inches and 0.624 inches

# **Waveguide Inside Height:**

Between 0.308 inches and 0.313 inches

#### **Waveguide Outside Height:**

Between 0.388 inches and 0.394 inches

# NSN 5985-00-242-9783

Waveguide Assembly - Page 2 of 2



Flange Connecting Facility And Quantity:
4 unthreaded hole first flange all connection facilities
Flange Style:
Cover type second flange
Waveguide Center To Center Distance:
7.090 inches
Waveguide Height:
1.200 inches
Flexibility:
Rigid single tubing segment
Material:
Copper all flange
Surface Treatment:
Enamel all flange outside surfaces
Style Designator:
Double bend type
Thread Series Designator:
Unc second flange all connection facilities
Fsc Application Data:
Antennas, waveguides, and related equipment
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No

**Fiig:** A073a0