# NSN 5985-00-244-0842

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-244-0842

# Application Design:

Audio

**Body Style:** 

Cylindrical w/side terminals

#### **Overall Length:**

1.688 inches

#### **Overall Width:**

1.406 inches

#### **Body Diameter:**

1.062 inches

#### Scale Linearity:

Linear

#### Shaft Diameter:

0.125 inches

#### **Bushing Length:**

## 0.375 inches

Shaft Length:

0.500 inches

### Body Length:

1.188 inches

## **Overall Diameter:**

1.062 inches

## Schematic Diagram Designator:

Bridged "t"

### Operating Tempurature Range:

-40.0/+120.0 degrees celsius

#### **Power Rating:**

1.0 watts average

### Mounting Facility Screw Thread Series Designator:

Unef

### **Overall Attenuation Range In Decibels:**

+0.0/+12.0

### Attenuation Variation Method:

Continuous

### Mounting Facility Type And Quantity:

1 threaded bushing

## **Overall Attenuation Accuracy In Decibels:**

-20.00/+20.00

# Mounting Thread Quantity:

32 per inch

# Adjustment Device Type And Quantity:

1 shaft

# NSN 5985-00-244-0842

Variable Attenuator - Page 2 of 2



Shaft Type:

Round, slotted

Mounting Facility Screw Thread Diameter:

0.375 inches

Impedance Rating In Ohms:

500.0 input-output

Terminal Type And Quantity:

4 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A223a0