NSN 5985-00-248-8852

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-248-8852

Cross Sectional Shape:

Internal, rectangular external, rectangular

Thread Class:

2b second flange all connection facilities

Thread Direction:

Right-hand second flange all connection facilities

Tubing Wall Construction Style:

Straight seam all tubing segment

Flange Quantity:

2

Flange Inside Width:

1.0625 inches first flange

Flange Inside Height:

0.505 inches first flange

Flange Outside Width:

1.625 inches second flange

Flange Outside Height:

1.625 inches first flange

Flange Inside Diameter:

1.422 inches second flange

Flange Depth:

0.438 inches second flange

Flange Connecting Hole Diameter:

0.169 inches first flange all connection facilities

Thready Qty Per Inch (tpi):

32 second flange all connection facilities

Waveguide Outside Width:

1.000 inches

Thread Size:

0.164 inches second flange all connection facilities

Waveguide Inside Width:

0.900 inches

Waveguide Inside Height:

0.400 inches

Waveguide Outside Height:

0.500 inches

Flange Connecting Facility And Quantity:

4 unthreaded hole first flange all connection facilities

Flange Style:

Cover type first flange

Waveguide Center To Center Distance:

8.875 inches

NSN 5985-00-248-8852 Waveguide Assembly - Page 2 of 2



Waveguide Height:
1.688 inches
Flexibility:
Rigid all tubing segment
Material:
Copper alloy all tubing segment and flange
Precious Material And Location:
Tubing inside surface silver
Precious Material:
Silver
Surface Treatment:
Silver all tubing segment inside surfaces
Style Designator:
Double bend type
Thread Series Designator:
Unc second flange all connection facilities
Fsc Application Data:
Radar equipment, except airborne
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
A073a0