## NSN 5985-00-250-4039



Variable Attenuator - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5985-00-250-4039
Application Design:
Audio
Body Style:
Cylindrical w/rear terminals
Overall Length:
2.879 inches
Shaft Diameter:
0.250 inches
Shaft Length:
0.812 inches
Body Length:
2.062 inches
Overall Diameter:
2.750 inches
Schematic Diagram Designator:
Balanced "h"
Distance Between Mounting Facility Centers:
1.500 inches
Power Rating:
600.0 milliwatts average
Mounting Facility Screw Thread Series Designator:
Unc
Overall Attenuation Range In Decibels:
+0.0/+70.0
Attenuation Variation Method:
Stepped
Step Position Quantity:
30
Attenuation Day Ston In Decibals

Attenuation Per Step In Decibels:

1.5

**Mounting Facility Type And Quantity:** 

2 threaded hole

Frequency Range:

Between 0.000 hertz and 20.000 kilohertz

**Mounting Thread Quantity:** 

32 per inch

**Adjustment Device Type And Quantity:** 

1 shaft

**Mounting Facility Pattern:** 

Two position in-line

**Shaft Type:** 

Round

## NSN 5985-00-250-4039

Variable Attenuator - Page 2 of 2



Mounting Facility Screw Thread Diameter:	
0.164 inches	
Impedance Rating In Ohms:	
600.0 input-output	
Terminal Type And Quantity:	
3 tab, solder lug	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	

Fiig: A223a0