NSN 5985-00-252-8026

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-252-8026

Application Design:
Transmission line
Body Style:
Coaxial type
Overall Length: 9.750 inches
Overall Height:
2.000 inches
Overall Width:
2.000 inches
Voltage Standing Wave Ratio:
1.20
Coaxial Connector Series Designation:
Bnc
Power Rating:
1.0 watts average
Insertion Loss At Minimum Attenuation In Maximum Decibels:
0.2
Overall Attenuation Range In Decibels:
+0.0/+22.1
Attenuation Variation Method:
Stepped
Step Position Quantity:
9
Attenuation Per Step In Decibels:
0.1 and 0.2 and 0.5 and 1.0 and 2.0 and 5.0
Mounting Facility Type And Quantity:
2 connector
Frequency Range:
Between 0.000 gigahertz and 0.500 gigahertz
Overall Attenuation Accuracy In Decibels:
+0.00/+0.50
Adjustment Device Type And Quantity:
9 toggle
Impedance Rating In Ohms:
50.0 input-output
Terminal Type And Quantity:
2 connector, coaxial, female
Shelf Life:
N/a
Unit Of Measure:

--

NSN 5985-00-252-8026

Variable Attenuator - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A223a0