NSN 5985-00-256-8449



Fixed Attenuator - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5985-00-256-8449 **Application Design:** Transmission line **Body Material: Brass Body Style:** Round, terminal/terminals in opposite surface **Body Surface Treatment:** Cadmium plated **Overall Length:** 3.125 inches **Overall Diameter:** 1.500 inches **Operating Tempurature Range:** -54.0/+71.0 degrees celsius **Voltage Standing Wave Ratio:** 1.10 and 1.15 and 1.20 Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Bnc **Power Rating:** 20.0 watts average Rf Signal Attenuation In Decibels: 20.0 **Voltage Standing Wave Ratio Frequency Range:** +0.0/+1.0 gigahertz and +1.0/+4.0 gigahertz and +4.0/+6.0 gigahertz and +6.0/+11.0 gigahertz **Attenuation Accuracy Reference Frequency:** 11.0 gigahertz **Attenuation Accuracy In Decibels:** -0.75/+0.75 **Connection Type Per Function:** Female input and male output

Mounting Method:

Connector

Terminal Type And Quantity:

2 connector

Frequency Range:

Between 0.000 hertz and 11.000 gigahertz

Shelf Life:

N/a

NSN 5985-00-256-8449

Fixed Attenuator - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A20000