NSN 5985-00-258-0180

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-258-0180 **Application Design:** Transmission line **Body Material:** Steel, corrosion resisting **Body Style:** Round, terminal/terminals in opposite surface **Body Surface Treatment:** Passivated **Overall Length:** 1.235 inches **Overall Diameter:** 0.375 inches **Operating Tempurature Range:** -55.0/+105.0 degrees celsius **Voltage Standing Wave Ratio:** 1.35 Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Sm **Power Rating:** 1.0 watts average **Rf Signal Attenuation In Decibels:** 9.0 **Voltage Standing Wave Ratio Frequency Range:** +7.0/+16.5 gigahertz **Attenuation Accuracy In Decibels:** -0.50/+0.50 **Connection Type Per Function:** Female output and male input **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector Frequency Range: Between 7.000 gigahertz and 16.500 gigahertz Shelf Life: N/a **Unit Of Measure:**

--

NSN 5985-00-258-0180

Fixed Attenuator - Page 2 of 2



Demilitarization:

No

Fiig:

A20000