

View Online at <https://aerobasegroup.com/nsn/5985-00-279-9914>

Application Design:

Transmission line

Body Style:

Cylindrical w/side terminals

Overall Length:

3.594 inches

Overall Width:

2.750 inches

First Flat Length:

Between 0.281 inches and 0.344 inches

Flat Height:

0.225 inches

Body Diameter:

2.375 inches

Shaft Diameter:

0.250 inches

Shaft Length:

Between 1.125 inches and 1.188 inches

Body Length:

2.125 inches

Unthreaded Mounting Hole Diameter:

0.196 inches

Distance Between Mounting Facility Centers:

1.500 inches

Operating Temperature Range:

-65.0/+175.0 degrees fahrenheit

Power Rating:

1.0 watts average

Mounting Facility Screw Thread Series Designator:

Unc

Insertion Loss At Minimum Attenuation In Maximum Decibels:

0.15

Attenuation Accuracy Reference Frequency:

1.0 kilohertz

Attenuation Variation Method:

Stepped

Step Position Quantity:

30

Attenuation Per Step In Decibels:

1.0

Mounting Facility Type And Quantity:

2 threaded hole

Frequency Range:

Between 0.000 kilohertz and 108.000 kilohertz

Mounting Thread Quantity:

32 per inch

Adjustment Device Type And Quantity:

1 shaft

Mounting Facility Pattern:

Two position in-line

Shaft Type:

Round, flatted

Mounting Facility Screw Thread Diameter:

0.164 inches

Impedance Rating In Ohms:

600.0 input and 16700.0 output

Precious Material:

Silver

Terminal Type And Quantity:

3 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A223a0