

View Online at <https://aerobasegroup.com/nsn/5985-00-283-6856>

Application Design:

Audio

Body Style:

Cylindrical w/rear terminals

Overall Length:

2.500 inches

Overall Width:

1.000 inches

Shaft Diameter:

0.250 inches

Bushing Length:

0.375 inches

Shaft Length:

0.875 inches

Body Length:

1.266 inches

Schematic Diagram Designator:

"t"

Operating Temperature Range:

-55.0/+120.0 degrees celsius

Power Rating:

5.0 watts average

Mounting Facility Screw Thread Series Designator:

Unef

Insertion Loss At Minimum Attenuation In Maximum Decibels:

0.058

Overall Attenuation Range In Decibels:

+46.0/+55.0

Attenuation Accuracy Reference Frequency:

1.0 kilohertz

Attenuation Variation Method:

Continuous

Mounting Facility Type And Quantity:

1 threaded bushing

Frequency Range:

Between 51.000 hertz and 55.000 kilohertz

Overall Attenuation Accuracy In Decibels:

-9.20/+9.20

Mounting Thread Quantity:

32 per inch

Adjustment Device Type And Quantity:

2 shaft

Shaft Type:

Round

Mounting Facility Screw Thread Diameter:

0.375 inches

Impedance Rating In Ohms:

600.0 input-output

Special Features:

Switch spst

Terminal Type And Quantity:

4 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A223a0