

View Online at <https://aerobasegroup.com/nsn/5985-00-283-6856>

**Application Design:**

Audio

**Body Style:**

Cylindrical w/rear terminals

**Overall Length:**

2.500 inches

**Overall Width:**

1.000 inches

**Shaft Diameter:**

0.250 inches

**Bushing Length:**

0.375 inches

**Shaft Length:**

0.875 inches

**Body Length:**

1.266 inches

**Schematic Diagram Designator:**

"t"

**Operating Temperature Range:**

-55.0/+120.0 degrees celsius

**Power Rating:**

5.0 watts average

**Mounting Facility Screw Thread Series Designator:**

Unef

**Insertion Loss At Minimum Attenuation In Maximum Decibels:**

0.058

**Overall Attenuation Range In Decibels:**

+46.0/+55.0

**Attenuation Accuracy Reference Frequency:**

1.0 kilohertz

**Attenuation Variation Method:**

Continuous

**Mounting Facility Type And Quantity:**

1 threaded bushing

**Frequency Range:**

Between 51.000 hertz and 55.000 kilohertz

**Overall Attenuation Accuracy In Decibels:**

-9.20/+9.20

**Mounting Thread Quantity:**

32 per inch

**Adjustment Device Type And Quantity:**

2 shaft

**Shaft Type:**

Round

**Mounting Facility Screw Thread Diameter:**

0.375 inches

**Impedance Rating In Ohms:**

600.0 input-output

**Special Features:**

Switch spst

**Terminal Type And Quantity:**

4 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A223a0