NSN 5985-00-291-8413

Waveguide Assembly - Page 1 of 2

Cross Sectional Shape:



View Online at https://aerobasegroup.com/nsn/5985-00-291-8413

Internal, rectangular external, rectangular **Thread Class:** 2b first flange all connection facilities Thread Direction: Right-hand first flange all connection facilities **Bend Angle In Deg:** 90.0 second bend h-plane **Tubing Wall Construction Style:** Straight seam all tubing segment Flange Quantity: 2 Flange Inside Width: 2.002 inches second flange Flange Inside Height: 1.002 inches second flange Flange Outside Diameter: 3.625 inches second flange Flange Depth: 0.938 inches first flange Flange Connecting Hole Diameter: 0.199 inches second flange all connection facilities Maximum Operating Pressure: 15.0 pounds per square inch gage Waveguide Outside Width: 2.000 inches **Thread Size:** 0.190 inches first flange all connection facilities Waveguide Inside Width: 1.872 inches Waveguide Inside Height: 0.872 inches Waveguide Outside Height: 1.000 inches Flange Connecting Facility And Quantity: 8 unthreaded hole second flange all connection facilities Flange Style: Cover type second flange **Special Features:** Two 90 degrees miter bend included Flexibility: Rigid all tubing segment

NSN 5985-00-291-8413

Waveguide Assembly - Page 2 of 2



Material:

Copper alloy all tubing segment and flange

Surface Treatment:

Paint all tubing segment and flange outside surfaces

Thread Series Designator:

Unf first flange all connection facilities

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A073a0