## NSN 5985-00-296-1863

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-296-1863

## **Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:** 

2b first flange single connection facility

**Thread Direction:** 

Right-hand first flange single connection facility

**Tubing Wall Construction Style:** 

Seamless single tubing segment

**Tubing Twist Type:** 

Straight twist single tubing segment

**Tubing Twist Angle In Deg:** 

14.4 single tubing segment

Flange Quantity:

2

Flange Inside Width:

2.000 inches second flange

Flange Inside Height:

1.000 inches second flange

Flange Outside Width:

3.688 inches all flanges

Flange Outside Height:

2.688 inches all flanges

Flange Outside Diameter:

3.625 inches all flanges

Flange Depth:

0.938 inches first flange

Flange Connecting Hole Diameter:

0.265 inches second flange single connection facility

Thready Qty Per Inch (tpi):

32 first flange single connection facility

**Waveguide Outside Width:** 

2.002 inches

**Thread Size:** 

0.190 inches first flange single connection facility

Waveguide Inside Width:

1.872 inches

Waveguide Inside Height:

0.872 inches

**Waveguide Outside Height:** 

1.002 inches

Flange Connecting Facility And Quantity:

8 threaded hole first flange single connection facility

## **NSN 5985-00-296-1863** Waveguide Assembly - Page 2 of 2



Flange Style:
Contact type second flange
Waveguide Length:
7.188 inches
Flexibility:
Rigid single tubing segment
Material:
Copper alloy all tubing segment and flange
Style Designator:
Straight type
Thread Series Designator:
Unf first flange single connection facility
Fsc Application Data:
Radar set equipment except airborne
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:

A073a0