NSN 5985-00-296-2030

Waveguide Adapter - Page 1 of 2



6-2030

| View Online at https://aerobasegroup.com/nsn/5985-00-296 |
|--|
| Cross Sectional Shape: |
| Internal, rectangular external, rectangular |
| Tubing Wall Construction Style: |
| Seamless single tubing segment |
| Flange Quantity: |
| 1 |
| Flange Inside Width: |
| 2.840 inches single flange |
| Flange Inside Height: |
| 1.004 inches single flange |
| Flange Outside Width: |
| 4.500 inches single flange |
| Flange Outside Height: |
| 2.756 inches single flange |
| Flange Depth: |
| 0.520 inches single flange |
| Flange Connecting Hole Diameter: |
| 0.281 inches single flange single connection facility |
| Voltage Standing Wave Ratio: |
| 1.20 |
| Coaxial Connector Series Designation: |
| N |
| Connector End Design: |
| Female |
| Adapter Length: |
| 6.000 inches |
| Adapter Height: |
| 2.756 inches |
| Waveguide Outside Width: |
| Any acceptable |
| Waveguide Inside Width: |
| 2.840 inches |
| Waveguide Inside Height: |
| 1.004 inches |
| Waveguide Outside Height: |
| Any acceptable |
| Flange Connecting Facility And Quantity: |
| 8 unthreaded hole single flange single connection facility |
| Flange Style: |
| Contact type single flange |

Adapterheight: 4.756 inches

NSN 5985-00-296-2030

Waveguide Adapter - Page 2 of 2



| Adapterwidth: |
|---|
| 4.500 inches |
| Material: |
| Any acceptable single tubing jacket |
| Surface Treatment: |
| Any acceptable single tubing segment all surfaces |
| Style Designator: |
| Waveguide to coaxial |
| Fsc Application Data: |
| Multiapplication |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |
| Fiig: |

A073a0