## NSN 5985-00-296-2736

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-296-2736

## **Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:** 

2b first flange single connection facility

**Thread Direction:** 

Right-hand first flange single connection facility

Bend Angle In Deg:

90.0 first bend e-plane

**Tubing Wall Construction Style:** 

Seamless single tubing segment

Flange Quantity:

2

Flange Inside Width:

1.253 inches second flange

Flange Inside Height:

0.628 inches second flange

Flange Outside Width:

1.875 inches second flange

Flange Outside Height:

1.875 inches second flange

Flange Inside Diameter:

1.422 inches all flanges

Flange Depth:

0.438 inches first flange

Flange Connecting Hole Diameter:

0.169 inches second flange single connection facility

Thready Qty Per Inch (tpi):

32 first flange single connection facility

**Waveguide Outside Width:** 

1.250 inches

**Thread Size:** 

0.164 inches first flange single connection facility

Waveguide Inside Width:

1.122 inches

**Waveguide Inside Height:** 

0.497 inches

**Waveguide Outside Height:** 

0.625 inches

Flange Connecting Facility And Quantity:

4 unthreaded hole second flange single connection facility

Waveguide Width:

Any acceptable

## NSN 5985-00-296-2736

Waveguide Assembly - Page 2 of 2



Flange Style: Cover type second flange Waveguide Length: Any acceptable **Waveguide Center To Center Distance:** Any acceptable **Special Features:** Test data document: c64959-b0-706558 Flexibility: Rigid single tubing segment Material: Metal nonferrous/d all tubing segment **Surface Treatment:** Chromate zinc all tubing segment all surfaces **Style Designator:** Offset bend type **Thread Series Designator:** Unc first flange single connection facility **Fsc Application Data:** Radar equipment except airborne Shelf Life: N/a **Unit Of Measure:** Demilitarization: Yes - demil/mli

**Fiig:** A073a0