NSN 5985-00-301-0226

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-301-0226

Application Design:
Transmission line
Body Style:
Coaxial type
Overall Length:
8.250 inches
Overall Height:
1.031 inches
Overall Width:
1.875 inches
Scale Linearity:
Linear
Scale Division Quantity:
20
Voltage Standing Wave Ratio:
1.50
Coaxial Connector Series Designation:
N
Power Rating:
1.0 watts average and 1.0 kilowatts peak
Insertion Loss At Minimum Attenuation In Maximum Decibels:
0.8
Overall Attenuation Range In Decibels:
+0.0/+10.0
Attenuation Variation Method:
Continuous
Mounting Facility Type And Quantity:
2 connector
Frequency Range:
Between 2.500 gigahertz and 11.000 gigahertz
Overall Attenuation Accuracy In Decibels:
-0.20/+0.20
Adjustment Device Type And Quantity:
1 lever
Impedance Rating In Ohms:
50.0 input-output
Terminal Type And Quantity:
1 connector, coaxial, male and 1 connector, coaxial, female
Shelf Life:
N/a
Unit Of Measure:

--

NSN 5985-00-301-0226

Variable Attenuator - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A223a0