# NSN 5985-00-309-3048

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-309-3048

# **Cross Sectional Shape:**

Internal, rectangular external, rectangular

#### **Thread Class:**

2b all flanges all connection facilities

#### **Thread Direction:**

Right-hand all flanges all connection facilities

#### **End Application:**

Missile guidance and tracking set an/spg-55b

#### **Tubing Wall Construction Style:**

Seamless all tubing segment

# Flange Quantity:

3

#### Flange Inside Width:

0.896 inches all flanges and 0.904 inches all flanges

#### Flange Inside Height:

0.396 inches all flanges and 0.404 inches all flanges

#### Flange Outside Width:

1.610 inches all flanges and 1.640 inches all flanges

# Flange Outside Height:

1.610 inches all flanges and 1.640 inches all flanges

# Flange Inside Diameter:

1.406 inches all flanges and 1.437 inches all flanges

#### Flange Depth:

0.423 inches all flanges and 0.453 inches all flanges

# **Voltage Standing Wave Ratio:**

1.30

# Thready Qty Per Inch (tpi):

32 all flanges all connection facilities

#### **Maximum Operating Pressure:**

5.0 pounds per square inch gage

# **Waveguide Outside Width:**

Between 0.996 inches and 1.004 inches

# Thread Size:

0.164 inches single flange single connection facility

#### Waveguide Inside Width:

Between 0.896 inches and 0.904 inches

# **Waveguide Inside Height:**

Between 0.396 inches and 0.404 inches

# **Waveguide Outside Height:**

Between 0.496 inches and 0.505 inches

# Flange Connecting Facility And Quantity:

4 threaded hole all flanges all connection facilities

# NSN 5985-00-309-3048

Waveguide Assembly - Page 2 of 2



Flange Style:
Choke type all flanges
Flexibility:
Rigid all tubing segment
Material:
Aluminum all tubing segment and flange
Surface Treatment:
Chromate all tubing segment and flange outside surfaces and enamel all tubing segment and flange outside surfaces and primer all tubing
segment and flange outside surfaces
Style Designator:
Tee, hybrid type
Thread Series Designator:
Unc all flanges all connection facilities
Fsc Application Data:
Antennas, waveguides, and related equipment
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A073a0