# NSN 5985-00-318-2373

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-318-2373

# Cross Sectional Shape:

Internal, rectangular external, rectangular

## **Thread Class:**

2b second flange all connection facilities

## **Thread Direction:**

Right-hand second flange all connection facilities

## Tubing Wall Construction Style:

Seamless single tubing segment

# Flange Quantity:

2

#### Flange Inside Width:

0.362 inches first flange and 0.364 inches first flange

#### Flange Inside Height:

0.222 inches first flange and 0.224 inches first flange

#### Flange Outside Width:

0.735 inches second flange and 0.765 inches second flange

#### Flange Outside Height:

0.735 inches second flange and 0.765 inches second flange

#### Flange Inside Diameter:

0.485 inches second flange and 0.515 inches second flange

# Flange Depth:

0.195 inches second flange and 0.225 inches second flange

## Flange Connecting Hole Diameter:

0.116 inches first flange all connection facilities and 0.118 inches first flange all connection facilities

## Voltage Standing Wave Ratio:

1.08

**Insertion Loss In Decibels:** 

0.20

Thready Qty Per Inch (tpi):

40 second flange all connection facilities

## Waveguide Outside Width:

Between 0.358 inches and 0.362 inches

## Thread Size:

0.112 inches second flange all connection facilities

#### Waveguide Inside Width:

Between 0.2785 inches and 0.2815 inches

# Waveguide Inside Height:

Between 0.1385 inches and 0.1415 inches

#### Waveguide Outside Height:

Between 0.218 inches and 0.222 inches

# Flange Connecting Facility And Quantity:

8 unthreaded hole first flange all connection facilities

# NSN 5985-00-318-2373

Waveguide Assembly - Page 2 of 2



Flange Style: Cover type first flange Waveguide Length: 0.625 inches Flexibility: Rigid single tubing segment Material: Copper alloy all tubing segment and flange **Precious Material And Location:** Tubing surface silver **Precious Material:** Silver **Surface Treatment:** Silver single tubing segment outside surfaces **Style Designator:** Straight type **Thread Series Designator:** Unc second flange all connection facilities **Fsc Application Data:** Antennas, waveguides and related equip. Shelf Life: N/a Unit Of Measure:

# **Demilitarization:**

Yes - demil/mli

# Fiig:

---

A073a0