NSN 5985-00-327-3113

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-00-327-3113

Cross Sectional Shape:

Internal, rectangular external, rectangular

Thread Class:

2b second flange all connection facilities

Thread Direction:

Right-hand second flange all connection facilities

Tubing Wall Construction Style:

Seamless all tubing segment

Flange Quantity:

3

Flange Inside Width:

1.003 inches third flange and 1.006 inches third flange

Flange Inside Height:

0.503 inches third flange and 0.506 inches third flange

Flange Outside Width:

1.610 inches second flange and 1.640 inches second flange

Flange Outside Height:

1.610 inches first flange and 1.640 inches first flange

Flange Inside Diameter:

1.406 inches second flange and 1.437 inches second flange

Flange Depth:

0.423 inches third flange and 0.453 inches third flange

Flange Connecting Hole Diameter:

0.169 inches third flange all connection facilities and 0.172 inches third flange all connection facilities

Voltage Standing Wave Ratio:

1.30

Waveguide Outside Width:

Between 0.996 inches and 1.004 inches

Thread Size:

0.164 inches second flange all connection facilities

Waveguide Inside Width:

Between 0.896 inches and 0.904 inches

Waveguide Inside Height:

Between 0.396 inches and 0.404 inches

Waveguide Outside Height:

Between 0.496 inches and 0.504 inches

Flange Connecting Facility And Quantity:

4 unthreaded hole third flange all connection facilities

Flange Style:

Cover type third flange

Flexibility:

Rigid all tubing segment

NSN 5985-00-327-3113

Waveguide Assembly - Page 2 of 2



NЛ	2	te	r	2	

Aluminum all tubing segment and flange

Surface Treatment:

Chromate all tubing segment and flange all surfaces

Thread Series Designator:

Unc second flange all connection facilities

Fsc Application Data:

Antennas, waveguides, and related equipment

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A073a0